

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	20	("20020084777" "20020163330" "20020179830" "20040152261" "4475083" "4804912" "4922197" "5394084" "5729134" "6314473").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:07
S15	2	"6591204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 12:06
S16	2	("3689828" "6249418").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 12:06
S17	2	("3689828").URPN.	USPAT	OR	ON	2005/09/13 12:07
S19	6124	324/225,227,228,234,236,239,260,262.ccls. 702/64,65.ccls. 361/142,152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 12:11
S20	18	S19 and (calculat\$5 determin\$5 find\$5 comput\$5) near3 (resistor resistance) with current with voltage same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 13:04
S21	23	S19 and transient adj (signal voltage current) with (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 13:48
S22	598	transient adj (signal voltage current) with (coil winding) and magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:39
S23	3620	fuel adj injector and (stator core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 13:52
S24	1864	S23 and (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 13:53

S25	583	S24 and magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 13:53
S26	55	S25 and transient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 13:53
S27	24	transient adj (signal voltage current) with (coil winding) and transient adj magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:30
S28	119	transient with (coil winding) and transient adj magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:30
S29	95	S28 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:38
S31	6124	324/225,227,228,234,236,239,260,262.ccls. 702/64,65.ccls. 361/142,152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:39
S32	375	S31 and transient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:40
S33	694	transient near3 (coil winding) and magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:39
S34	266	S32 and (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:41

S35	227	S34 and (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:42
S36	168	S35 and @ad<"20030728"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 15:49
S37	4	MANRING-EDWARD-B.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:45
S38	22	RIX-DAVID-M.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 14:46
S39	37	BENSON-DONALD-J.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 15:11
S41	2	"20020084777"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 15:29
S42	48	324/240.ccls. and transient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 16:01
S43	127	transient adj magnetic adj (field flux) same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 16:24
S44	23	S43 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 16:24

S45	15	"3201811"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/13 16:42
S47	6955	integrat\$3 adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:39
S48	5750	integrat\$3 adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:11
S49	422	S48 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:11
S50	51	S49 and (calculat\$5 solv\$5 determin\$5 find\$5 comput\$5) near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:39
S51	10	S50 and resistance same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:40
S52	36030	integrat\$3 near2 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:39
S53	22657	integrat\$3 near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:39
S54	4742	S53 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:39

S55	431	S54 and (calculat\$5 solv\$5 determin\$5 find\$5 comput\$5) near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:39
S56	101	S55 and resistance same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:41
S57	91	S56 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:54
S58	38	S57 and resistance near3 (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 13:55
S59	2	"20020084777"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 15:24
S60	2	"20040189291"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 15:39
S61	50	"4922197"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:00
S62	675	transient adj current with (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:08
S63	6124	324/225,227,228,234,236,239,260,262.ccls. 702/64,65.ccls. 361/142,152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:01

S64	10	S63 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 20:02
S65	2358	transient near2 current same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:04
S66	26	S63 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:04
S67	251	S62 and magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:26
S68	2	"5729134"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:50
S69	0	(plot graph) near3 transient adj magnetic adj (field flux) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:51
S70	2	(plot graph) near3 transient adj magnetic adj (field flux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 17:51
S71	4	(figure plot graph) near3 transient adj magnetic adj (field flux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:08
S72	1	S63 and transient adj magnetic adj (field flux) and linkage and current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:08

S73	1	S63 and transient adj magnetic adj (field flux) and linkage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:09
S74	3	"324".clas. and transient adj magnetic adj (field flux) and linkage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:09
S75	105	S63 and magnetic adj (field flux) and linkage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:10
S76	98	S75 and current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:19
S77	9	S63 and (plot graph figure) with linkage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:24
S78	11187	(plot graph figure) with linkage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:24
S79	458	(plot graph figure) with linkage same time same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:24
S80	4	S79 and transient adj magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 18:25
S81	97	S79 and magnetic adj (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:07

S82	10878	effective adj resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:08
S83	1083	effective adj resistance with (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:09
S84	523	effective adj resistance with (coil winding) same voltage same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:09
S85	25	effective adj resistance with (coil winding) same voltage same current same integra\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:11
S86	455	integral near3 voltage and integral near3 current and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:12
S87	232	S86 and (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:11
S89	109	integral near3 voltage same integral near3 current same resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:12
S90	57	S89 and (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 19:12
S91	20	transient adj magnetic adj flux	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/14 20:03

S93	17	("4274052" "5015951" "5528142" "5537038" "5764052" "RE36986" "6114849" "6239596").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:13
S94	5	S93 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:13
S95	2485	(comput\$5 determin\$5 find\$5 calculat\$5) near3 resistance with (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:42
S96	1523	S95 and (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:42
S97	1245	S96 and voltage and current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:42
S98	188	S97 and transient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:42
S99	36	S98 and (comput\$5 determin\$5 find\$5 calculat\$5) near3 (flux field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/15 14:44